




MINI SKID STEER LOADER
HY360W

HUAYEE®

SHANDONG HUAYEE HEAVY INDUSTRY GROUP CO., LTD
SHANDONG HUAYEE IMPORT AND EXPORT CO., LTD.

 WWW.HUAYEE.COM

HY360W
MAIN PARAMETERS



MAIN PARAMETERS

Performance	Rated load	kg	200	
	Bucket volume	m³	0.13	
	Maximum lift	kg	330	
	Working speed	km/h	0~5	
	Rated pressure	Mpa	17	
	Lifting time	s	4.2	
	Descent time	s	3.1	
	Dumping time	s	1.5	
	Climbing ability	%	30	
	Work weight	kg	690	700
Engine	Brand		Briggs&Stratton 25T2	Rato R420
	Type		Single-cylinder air-cooled petrol engine	
	Output Power		13.5HP/3600rpm	15HP/3600rpm
	Fuel consumption	L/h	≤3.8	≤4.2
	Starting method		Electric start	
Capacity	Fuel tank	L	6.6	6.7
	Engine oil	L	1.1	
	Hydraulic tank	L	20	






MINI SKID STEER LOADER
HY360X

HUAYEE®
SHANDONG HUAYEE HEAVY INDUSTRY GROUP CO., LTD
SHANDONG HUAYEE IMPORT AND EXPORT CO., LTD.
 WWW.HUAYEE.COM

HY360X
MAIN PARAMETERS



MAIN PARAMETERS

Performance	Rated load	kg	238		
	Bucket volume	m³	0.13		
	Maximum lift	kg	600		
	Working speed	km/h	0~5		
	Rated pressure	Mpa	17		
	Lifting time	s	5.5		
	Descent time	s	4		
	Dumping time	s	3		
	Climbing ability	%	30		
	Work weight	kg	824	834	849
Engine	Brand		Briggs&Stratton	Rato	Koop
	Type		Gasoline/diesel engine, single-cylinder, air-cooled		
	Output Power		13.5HP/3600rpm	15HP/3600rpm	11.7HP/3600rpm
	Fuel consumption	L/h	≤3.8	≤4.2	≤2.3
	Starting method		Electric start		
Capacity	Fuel tank	L	6.6	6.7	5.5
	Engine oil	L	1.1	1.1	1.65
	Hydraulic tank	L	29		





MINI SKID STEER LOADER


HY480W

HUAYEE®

SHANDONG HUAYEE HEAVY INDUSTRY GROUP CO., LTD
SHANDONG HUAYEE IMPORT AND EXPORT CO., LTD.

 WWW.HUAYEE.COM

**HY480W
MAIN PARAMETERS**



MAIN PARAMETERS

Rated loading weight	200kg
Bucket capacity	0.15m³
Maximum lifting Weight	375kg
Work speed	0-6 km/h
Rated pressure	17 Mpa
Lifting time	4.3s
Maximum unloading height	1480mm
Bucket lowering time	3.3s
Dimensions (mm)	2285*1155*1270mm

Gradeability	30°
Machine operating weight	890kg
Engine model	Briggs & Stratton 3864
Engine info	Gasoline,V type two-cylinders
Rated power	17.1KW(23HP)/3600rpm
Start method	Electric
Hydraulic box	25L
Fuel box	25L





MINI SKID STEER LOADER


HY480

HUAYEE®

SHANDONG HUAYEE HEAVY INDUSTRY GROUP CO., LTD
SHANDONG HUAYEE IMPORT AND EXPORT CO., LTD.


WWW.HUAYEE.COM

HY480 MAIN PARAMETERS



MAIN PARAMETERS

Rated loading weight	200kg	Gradeability	30°
Bucket capacity	0.15m³	Machine operating weight	890kg
Maximum lifting Weight	375kg	Engine model	Briggs & Stratton 3864
Work speed	0-6 km/h	Engine info	Gasoline,V type two-cylinders
Rated pressure	17 Mpa	Rated power	17.1KW(23HP)/3600rpm
Lifting time	4.3s	Start method	Electric
Maximum unloading height	1480mm	Hydraulic box	25L
Bucket lowering time	3.3s	Fuel box	25L
Dimensions (mm)	2285*1150*1270mm		





MINI SKID STEER LOADER


HY480X

HUAYEE®

SHANDONG HUAYEE HEAVY INDUSTRY GROUP CO., LTD
SHANDONG HUAYEE IMPORT AND EXPORT CO., LTD.

 WWW.HUAYEE.COM

HY480X
MAIN PARAMETERS



MAIN PARAMETERS

Rated loading weight	200kg
Bucket capacity	0.15m³
Maximum lifting Weight	375kg
Work speed	0-6 km/h
Rated pressure	17 Mpa
Lifting time	4.3s
Maximum unloading height	1480mm
Bucket lowering time	3.3s
Dimensions (mm)	2285*1150*1270mm

Gradeability	30°
Machine operating weight	890kg
Engine model	Briggs & Stratton 3864
Engine info	Gasoline,V type two-cylinders
Rated power	17.1KW(23HP)/3600rpm
Start method	Electric
Hydraulic box	25L
Fuel box	25L





MINI SKID STEER LOADER


HY360Z SEAT TYPE

HUAYEE®

SHANDONG HUAYEE HEAVY INDUSTRY GROUP CO., LTD
SHANDONG HUAYEE IMPORT AND EXPORT CO., LTD.


 WWW.HUAYEE.COM

HY360Z MAIN PARAMETERS



MAIN PARAMETERS

Rated Load Capacity	238 kg	Working Weight	755 - 780kg
Bucket Volume	0.13 m³	Brand	Briggs & Stratton/RATO/KOOP
Maximum Lifting Force	600 kg	Type	Petrol / diesel
Speed Of Work	0-4.2 km/h	Output Power	13.5HP/15HP/11.7HP
Preset Pressure	18.5 Mpa	Fuel Consumption	≤3.8, ≤4.2, ≤2.3
Lifting time	4.7 s	Start Mode	Electric Start
Fall Time	3.2 s	Fuel Tank	6.6L, 6.7L, 5.5L
Tipping Time	4.6 s	Engine Oil	1.1L, 1.1L, 1.6L
Gradeability	30%	Hydraulic Tank	23L





RIDE-ON SKID STEER LOADER



HY360ZX SEAT TYPE

HUAYEE®

SHANDONG HUAYEE HEAVY INDUSTRY GROUP CO., LTD
SHANDONG HUAYEE IMPORT AND EXPORT CO., LTD.


WWW.HUAYEE.COM

HY360ZX MAIN PARAMETERS



MAIN PARAMETERS

Rated loading weight	350kg	Working weight	960kg/955kg/980kg
Bucket capacity	0.13m³	Engine model	Briggs&Stratton/Rato/Koop
Maximum lifting Weight	600kg	Type	Gasoline/diesel engine, single-cylinder, air-cooled
Work speed	0-4.5km/h	Output power	13.5HP/3600rpm 15HP/3600rpm 10.3HP/3000rpm
Rated pressure	18.5Mpa	Fuel consumption	≤3.8/≤4.2/≤2.3 L/h
Lifting time	4.7s	Start method	Electric
Fall time	2.9s	Hydraulic box	23L
Tipping time	2.1s	Fuel box	6.6/6.7/5.5L
Climbing ability	30%		





MINI SKID STEER LOADER
HY480Z SEAT TYPE

HUAYEE®
SHANDONG HUAYEE HEAVY INDUSTRY MACHINERY GROUP CO., LTD.

 WWW.HUAYEE.COM

HY480Z MAIN PARAMETERS



Rated Loading Capacity	350 kg
Bucket Capacity	0.15 m³
Maximum Lifting Force	800 kg
Working Speed	0 - 4.3 km/h
Rated Pressure	17 Mpa
Lifting Time	4.5 s
Descent Time	3.1 s
Tipping Time	1.8 s
Climbing Ability	20%

Working Weight	930 / 900 / 910 kg
Engine Brand	KOOP / Briggs&Stratton / RATO
Type	Diesel / Gasoline / Gasoline
Output Power	20 / 23 / 23 HP
Fuel Consumption	≤4.8 / ≤6.7 / ≤6.7 L/h
Starting Method	Electric Start
Fuel Tank	23 L
Engine Oil	3 / 1.7 / 1.6 L
Hydraulic Oil Tank	23 L





RIDE-ON SKID STEER LOADER



HY480ZX SEAT TYPE

HUAYEE®

SHANDONG HUAYEE HEAVY INDUSTRY GROUP CO., LTD
SHANDONG HUAYEE IMPORT AND EXPORT CO., LTD.


WWW.HUAYEE.COM

HY480ZX MAIN PARAMETERS



MAIN PARAMETERS

Rated loading weight	480kg	Working weight	900kg/910kg
Bucket capacity	0.15m³	Engine model	Briggs&Stratton/Rato
Maximum lifting Weight	800kg	Type	Gasolineengine,V-twin
Work speed	0-4.3km/h	Output power	23HP/3600rpm
Rated pressure	17Mpa	Fuel consumption	≤6.7
Lifting time	4.5s	Start method	Electricstart
Fall time	3.1s	Hydraulic box	23L
Tipping time	1.8s	Fuel oil tank	23L
Climbing ability	20%		






MINI SKID STEER LOADER
HY680X

HUAYEE®
SHANDONG HUAYEE HEAVY INDUSTRY GROUP CO., LTD
SHANDONG HUAYEE IMPORT AND EXPORT CO., LTD.
 WWW.HUAYEE.COM

HY680X
MAIN PARAMETERS



MAIN PARAMETERS

Rated loading weight	450kg
Bucket capacity	0.2m³
Maximum lifting Weight	1200kg
Work speed	0-6.5km/h
Rated pressure	21Mpa
Lifting time	4.3s
Maximum unloading height	2940mm
Bucket lowering time	3.3s
Dimensions (mm)	2880*1235*1510mm

Gradeability	30°
Machine operating weight	1300kg
Engine model	Yanmar 3TNV80F
Engine info	Diesel ,three-cylinders
Rated power	18.2kw/3000rpm
Start method	Electric
Hydraulic box	25L
Fuel box	35L

